Amendments to the Claims:

Please amend claims 1, 2, 4-7, 9 and 10 and add new claims 11-13 as follows. The following listing of claims will replace all prior versions, and listings, of claims in the application.

<u>Listing of Claims:</u>

5

10

15

Claim 1 (Currently Amended). A facsimile system which receives image data transmitted through a predetermined computer network, which has including a facsimile terminal and a format converter operatively connected to each other, the facsimile system comprising:

image outputting means a printer provided in the facsimile terminal for outputting configured to print an image based on image data of a predetermined format arriving with the address directed to itself,;

receiving means provided in the facsimile terminal for receiving image data transmitted via a computer network;

terminal for transmitting transferring the image data to the format converter when the image data format differs from the predetermined format[,];

20

25

format converting means provided in the format converter for converting the format of the image data transferred from the facsimile terminal to the predetermined format[,];

returning means provided in the format converter for transferring the image data after the format is converted by the format converting means to the facsimile terminal which has originally transferred the image data, the source of the image data,; and

image output controlling means provided in the facsimile terminal for allowing the image outputting means for outputting controlling the printer to print an image based on the image data transferred from the format converter as image data which has arrived with the address directed to itself.

Claim 2 (Currently Amended). A facsimile terminal composing which is operatively connected to a format converter for forming a facsimile system for receiving image data transmitted through a predetermined computer network by being connected with a predetermined format converter, the facsimile terminal comprising:

10

15

20

image outputting means for outputting a printer configured
to print an image based on image data of a predetermined format
which has arrived with the address directed to itself,;

receiving means for receiving image data transmitted via a computer network;

to the format converter when the format of the image data which has arrived with the address directed to itself format differs from the predetermined format[,]; and

an image output controlling means that allows the image outputting means to output for controlling the printer to print an image based on the image data transferred from the format converter as the image data which has arrived with the address directed to itself.

Claim 3 (Original). The facsimile terminal according to claim 2, wherein the predetermined format is TIFF (Tagged Image File Format).

Claim 4 (Currently Amended). The facsimile terminal according to claim 2, wherein the conversion requesting means transfers the image data to the format converter by sending out

5

. 5

5

5

an e-mail with an attached file containing the image data attached as the attached file.

Claim 5 (Currently Amended). The facsimile terminal according to claim 4, wherein the conversion requesting means allows the e-mail with the image data attached as the attached file to contain the predetermined sender information for identifying the a sender of the image data.

Claim 6 (Currently Amended). The facsimile terminal according to claim 2, further comprising <u>a</u> storage <u>means for storing the predetermined section configured to store</u> sender information <u>in memory</u> for identifying <u>the a</u> sender of the transferred image data, <u>the sender information being stored until</u> <u>while</u> the image data <u>which is</u> converted to the predetermined format is transferred <u>thereto</u> from the format converter <u>when the image data is transferred to the format converter</u>.

Claim 7 (Currently Amended). A format converter which is operatively connected to a facsimile terminal provided with a function for outputting printing an image based on image data of a predetermined format, such that the format converter and the facsimile terminal constitute a facsimile system that receives

10

15

5

image data transmitted via a predetermined computer network, said
the format converter comprising:

format converting means for converting the format of the image data transferred from the facsimile terminal into the predetermined format[,]; and

returning means for transferring the image data whose format has been converted by the format converting means to the facsimile terminal which has originally transferred the image data that served as the source of the image data original image data whose format is not converted.

Claim 8 (Original). The format converter according to claim 7, wherein the predetermined format is TIFF (Tagged Image File Format).

Claim 9 (Currently Amended). The format converter according to claim 7, wherein the returning means transfers the image data to the facsimile terminal by sending out the <u>an</u> e-mail with the <u>image data attached as</u> an attached file <u>after the format</u> containing the image data that has been converted by the format converting means.

5

5

Claim 10 (Currently Amended). The format converter according to claim 9, wherein the returning means allows the predetermined sender information contained in the e-mail with the image data attached, which served as the source of the image data, an attached file containing the original image data to be contained in the included in an e-mail with the image data attached as the attached file after the format has been converted by the format converting means an attached file containing the converted image data.

Claim 11 (New). A method of outputting an image corresponding to image data transmitted via a computer network, the method used in a facsimile system comprising a facsimile terminal including (i) image output means for outputting an image based on image data of a predetermined format, and (ii) a format converter operatively connected to the facsimile terminal, the method comprising the steps of:

receiving image data at the facsimile terminal, the image data being transmitted via the computer network;

transferring the image data from the facsimile terminal to the format converter when the received image data format differs from the predetermined format;

15

.20

5

10

converting the format of the image data, transferred from the facsimile terminal to the format converter, to the predetermined format using the format converter;

transferring the converted image data from the format converter to the facsimile terminal; and

controlling the image output means to output an image based on the image data transferred from the format converter to the facsimile terminal.

Claim 12 (New). A method of outputting an image using a facsimile terminal, the image corresponding to image data transmitted via a computer network, the method used in a facsimile system comprising (i) the facsimile terminal with image output means for outputting an image based on image data of a predetermined format, and (ii) a format converter operatively connected to the facsimile terminal, the method comprising the steps of:

receiving image data transmitted via the computer network;

transferring the image data to the format converter when the received image data format differs from the predetermined format; and

controlling the image output means to output an image based on image data transferred from the format converter.

5

10

Claim 13 (New). A method of converting a format of image data using a format converter, the image data being transmitted via a computer network, the method used in a facsimile system comprising (i) a facsimile terminal with image output means for outputting an image based on an image data of a predetermined format, and (ii) the format converter being operatively connected to the facsimile terminal, and the method comprising the steps of:

converting a format of image data transferred from the facsimile terminal into the predetermined format; and

transferring the converted image data to the facsimile terminal which has transmitted original image data whose format is not converted.